




WORK HARD, PLAY HARD

DRIVE²

Golf - Personal - Utility



YAMAHA IS THE




QUIETECH EFI & CARB

Our **QuietTech EFI** cars, now equipped with Independent Rear Suspension, are the quietest, most comfortable on the road. And if you're worried about emissions, don't be! Our petrol cars feature the lowest fuel emissions around, and with over 60 years of engine manufacturing experience under our belts, you can trust the dependability and performance known to Yamaha owners around the world.

- Smallest carbon footprint
- Fewest emissions and up to 76% less pollutants than competitors ¹⁾
- Over 415 km on a single fill-up

More fuel efficiency for better value. The **Drive² Carb** car has comparable fuel efficiency when compared to our competitor's EFI model.


QUIETECH EFI. EVERYTHING ELSE IS JUST NOISE. NOISE LEVEL ⁽²⁾



1) Independent laboratory testing in a fleet environment by Transportation Research Center, Inc. 2015, on model year 2016 cars.

2) Decibel reading from 25 feet at constant speed on a paved cart path for 2016 fleet models

Fuel Consumption (km/Liter)





POWERTECH AC & DC

PowerTech AC cars prioritize energy efficiency while offering all the power you need – rapid acceleration, smooth uphill climb, and exceptional battery strength and endurance. You can't go wrong with PowerTech AC because our battery power is synonymous with horsepower, and efficiency is our middle name.

- The most horsepower in its class
- Best hill-climbing ability in the industry
- Smoother, faster acceleration
- Energy efficient

Love the ride of **PowerTech AC** but don't need all the power? Then our **Drive² DC** car is for you. When your customers demand electric, give them a dependable car that has all the features that today's modern golfers demand. The **Drive² DC** saves you more money than ever.



Adjustable regenerative brake power & speed with Genius Diagnostic system.

	1	2	3	4	5
MAX	6	7	8	9	10
REGEN	11	12	13	14	15
	16	17	18	19	20
MIN	21	22	23	24	25
	10 (14)	11 (17.7)	12 (19.3)	13 (20.9)	14 (23.9) MPH

Regenerative Brake Setting (indicated by a red arrow pointing up)

Max Speed Setting (indicated by a blue arrow pointing right)

Yamaha uses industry-best Trojan T-875 batteries.

Drive² models

EFI / AC / DC



Color choice



The best car JUST GOT BETTER

The design of the Drive² is now more luxurious than ever. It features many color options and a state-of-the-art body styling. All features are designed with the customer in mind, and with the level of comfort the Drive² offers, players will want to play your golf course forever.

STILL THE BEST

Largest sweater basket in the industry

EVEN BETTER

382% larger rear access panel for ease of maintenance



Removable modular body panels to lower costs for maintenance and damage repairs.



New body styling for Drive² clean tech technologies.



The industry's largest, most ergonomic contoured seat.

DRIVE²

STILL THE BEST

Protection from the elements, ClimaGuard™ top with dual gutters, 33% larger than the Nearest competitor

EVEN BETTER

Motorsport-inspired polycarbonate windshield provides increased durability and UV protection

STILL THE BEST

Most space of any other golf car on the market

EVEN BETTER

34% larger storage compartment with NO-SLIP mat

STILL THE BEST

Most legroom in its class (34 cm)




Model is shown with optional accessories

GOLF

PERSONAL

UTILITY



Performance tuned independent rear suspension (For QuietTech EFI model).



Fully independent front suspension.



Automotive style dash for more accessories.

Accessories - Fleet



Headlight Brake Kit (adds 20-LED brake lights only to Basic)
Part no. GCAJ0A1300BK



Headlight Brake Kit (adds 20-LED brake lights only to Basic)
Part no. GCAJ0A1300PM



3,5" Backlit Tuning Fork Logo
Part no. GCAJ0B170000



USB Assembly
Part no. GCAJ0A700000



Hubcap, Mag Style - Brushed Aluminum (must order in sets of 4)
Part no. GCAJW9500200



Hubcap, Mag Style - Sandstone (must order in sets of 4)
Part no. GCAJW9502200



Hubcap, Mag Style - Chrome (must order in sets of 4)
Part no. GCAJW9501200



Drive Wheel Cover - Silver Metallic
Part no. GCAJ0A500100



Drive Wheel Cover - Chrome
Part no. GCAJ0A501100



Drive Wheel Cover - Sandstone Metallic
Part no. GCAJ0A502100



Drive Wheel Cover - Glacier White
Part no. GCAJ0A503100



Club Pro Cabana Golf Bag / Club Cover
Part no. GCAJ0A600000

Accessories - Fleet



Single Sand Bottle Kit (without handle)
Part no. GCAJW1402000



Club & Ball Washer Kit
Part no. GCAJW1310100



4 Pack Cooler
Part no. GCAJW1320200



6 Pack Cooler
Part no. GCAJW1321100



Information Holder
Part no. GCAJW1850500



Information Holder, Self Adhesive
Part no. GCAJW1851300



Trojan Hand Pump
Part no. GCAJW2850000



5-pannel Mirror Kit
Part no. GCAJW6800000



Take the smart option

At Yamaha, we're innovating with the modern driver in mind, and the Drive² PTV affirms this. With LED headlights and an automotive style dash with standard USB ports, we've thought of everything you could need on the go.



Drive² PTV

EFI / AC



Color choice

Glacier

Bluestone

Sandstone

Moonstone

Rich Brown

Jasper

Onyx

Aqua Blue



GOLF

PERSONAL

UTILITY



Automotive inspired LED headlights shine brighter and use less energy.



Two USB ports to maintain power and stay charged.



10" wheel & 205/65 -10 high profile Kenda Tire for comfortable ride (alloy wheel is accessory).

Accessories - PTV



10" 12-Spoke Wheel with 20" all terrain tire - for cars with lift kits
Part no. GCAJC1520000



10" 4-Spoke Alloy Wheel Assembly
Part no. GCAJW1530200



10" Casino Alloy Wheel - Black inset / Machined face
Part no. GCAJC35200BK



12" 14-Spoke Alloy Wheel Assembly 215/40-12
Part no. GCAJW1570100



10" 12-spoke J-series All Terrain Alloy Wheel
Part no. GCAJ2G5100SL



CIPA Suction Cup Mirror
Part no. SBT110500010



Premium Side Mirror Kit (sold individually)
Part no. GCAJC1810000



GC Side Mirror Kit
Part no. GCAJW6813000



5-panel Mirror Kit
Part no. GCAJW6800000

Black Seat Bottom
Part no. GCAJ0B8421BK

Black Seat Back Rest
Part no. GCAJW9870000





Riding on air

Whether picking up VIPs at a hotel reception, or escorting guests on a factory tour, our four- and six-seat CRUISE models will impress even the most discerning passengers. With a smooth, quiet ride, and the widest, most comfortable seats in the industry, these vehicles provide a truly first-class experience.



CRUISE 4 & 6

AC



GOLF

PERSONAL

UTILITY



Equipped with the widest bench seats in the class, generous legroom and outer armrests.



Automotive inspired LED headlights shine brighter and use less energy.



UMX: Built for Work

Our utility vehicle is developed with direct input from the professional user. It's made to handle maintenance, gardening and housekeeping chores in commercial, industrial, agricultural and leisure environments. Designed and engineered with style, superior comfort and increased productivity in mind, the new UMX helps you get the job done.



UMX

EFI / AC



GOLF

PERSONAL

UTILITY



29-litre front storage box with one-touch opening.



Reflector type LED lights for night time use.



Skid plate for non-extreme off-road protection.



Aluminium cargo bed with one-touch tailgate.



Accessories - UMX



**Dash Mounted Multi-Function
Meter Kit**
Part no. J0GH35H0V000



Cargo Bed Mat
Part no. J0GF7302V000



Front Brush Guard, Tube
Part no. J0GF85F0V000



FusionFit Bed Rail Attachment Kit
Part no. J0GF34A0V000



Rear Brush Guard, Sheet
Part no. J0GF85F0T000



Rear Brush Guard, Tube
Part no. J0GF85F0S000



Rear Cargo Box
Part no. J0GF83P0V000



Side Step Bars
Part no. J0GF11E0V000



Storage Cover
Part no. J0GF81A0V000



UMX Upgrade Light Kits
Part no. J0GH43C0T000



V Grip Double
Part no. ABAVFG200000

SPECIFICATIONS

Dimensions	Drive ² models	Drive ² PTV	C
Overall length	2,378 mm	2,378 mm	3,
Overall width	1,200 mm	1,200 mm	1,
Overall height (sun top)	1,789 mm	1,823 mm	1,
Wheel base	1,640 mm	1,640 mm	2,
Minimum ground clearance	110 mm	140 mm	14
Tyre size	18.00 x 8.50-8.00 (4ply)	205/65-10 (4ply)	18
Cargo box material			
Cargo bed capacity			
Cargo bed size (LxWxH)			
Frame	Automotive style HybriCore™ Chassis, polyester/urethane powder topcoat	Automotive style HybriCore™ Chassis, polyester/urethane powder topcoat	Al Cl tc
Body	Thermoplastic olefin, 2-part top coat of automotive-grade polyurethane	Thermoplastic olefin, 2-part top coat of automotive-grade polyurethane	Th of
Front suspension	Fully independent strut suspension	Fully independent strut suspension	Fu
Rear suspension	Fully independent strut suspension(EFI) Swing arm with coil springs(Carb, DC, AC)	Fully independent strut suspension(EFI) Swing arm with coil springs(AC)	Fu st Sw
Brakes	Self adjusting rear drum	Self adjusting rear drum	M

Performance	Drive ² DC/AC	Drive ² PTV AC	C
Curb weight(with Suntop, Battery, Oil, and Fuel)	446 kg(DC) 455 kg (AC)	473 kg	54
Output rating	3.5 HP (2.6kW)(DC) 6.7 HP (5.0 kW)(AC)	6.7 HP (5.0 kW)	3.
Batteries	Six 8-volt Trojan T875 Batteries	Six 8-volt Trojan T875 Batteries	Fe
Maximum forward speed *Adjustable	24 km/h	31 km/h	31
Turning radius	2.8 metre	2.9 metre	4.

Performance	Drive ² Carb/EFI	Drive ² PTV EFI	C
Curb weight(with Suntop, Battery, Oil, and Fuel)	324 kg(Carb) 344 kg(EFI)	356kg	
Engine type	YAMAHA-built, 357 cc, low-emission single cylinder 60° incline OHV	YAMAHA-built, 357 cc, low-emission single cylinder 60° incline OHV	
Output rating	8.5 kW (11.4 HP) at 3,500 rpm	8.5 kW (11.4 HP) at 3,500 rpm	
Carburetor / Fuel supply	Carburetor(Carb) /Electronic Fuel Injection(EFI)	Electronic Fuel Injection	
Fuel tank capacity	22 litres	22 litres	
Maximum forward speed	24 km/h	31 km/h	
Turning radius	2.8 metre	2.9 metre	

	CRUISE 4	CRUISE 6	UMX
	3,230 mm	4,085 mm	3,032 mm
	1,200 mm	1,200 mm	1,253 mm
	1,785 mm	1,785 mm	1,824 mm
	2,490 mm	3,345 mm	1,961 mm
	140 mm	140 mm	115 mm
	18 x 8.50-8 4ply (Made by Duro)	18 x 8.50-8 4ply (Made by Duro)	20 x 10 - 10 (4 Ply Rated)
			Aluminium
			363 kg
			1,044 mm x 1,167 mm x 302 mm
	Automotive style HybriCore™ Chassis, polyester/urethane powder topcoat	Automotive style HybriCore™ Chassis, polyester/urethane powder topcoat	Automotive style HybriCore™ Chassis, polyester/urethane powder topcoat
of	Thermoplastic olefin, 2-part top coat of automotive-grade polyurethane	Thermoplastic olefin, 2-part top coat of automotive-grade polyurethane	Thermoplastic olefin, 2-part top coat of automotive-grade polyurethane
	Fully independent strut suspension	Fully independent strut suspension	Fully independent strut suspension
FI)	Fully independent strut suspension(EFI) Swing arm with coil springs(AC)	Fully independent strut suspension(EFI) Swing arm with coil springs(AC)	Swing arm with coil springs
	Mechanical, 2 RR Wheel	Mechanical, 2 RR Wheel	Self-adjusting, mechanical drum brakes on all 4 wheels

	CRUISE 4 AC	CRUISE 6 AC	UMX AC
	540 kg	775 kg	640 kg
	3.5 HP (2.6 kW)	3.5 HP (2.6 kW)	6.7 HP (5.0 kw)
	Four 12V GS BV150Z Batteries	Four 12V GS BV150Z Batteries	Eight 6-volt Trojan T105 Battery
	31.4 km/h	31.4 km/h	31 km/h
	4.4 metre	5.7 metre	3.98 metre

		UMX EFI
		469 kg
ie		Low emission single cylinder 60° incline OHV
		10.63 kW (14.3 HP) at 3,600 rpm
		Electronic Fuel Injection
		20 litres
		31 km/h
		3.98 metre

GOLF

PERSONAL

UTILITY



www.yamaha-motor.eu

YU YAMAHA MOTOR **SERVICES**

follow us on:



Yamaha Motor Europe N.V.

Koolhovenlaan 101
1119 NC Schiphol-Rijk
P.O.Box 75033
1117 ZN Schiphol
The Netherlands
+ 31 20 654 6000

Dealer

Disclaimer

The technical specifications provided are purely indicative and may be modified without prior notice from the manufacturer and/or importer. In order to ensure the increased lifespan of your vehicle, as well as for driver's safety, the manufacturer's recommendations should be followed in all cases. You are advised to prepare adequately for use of the vehicle. Usage on public roads is forbidden and usage is not recommended below 16 years of age. Please contact your local dealer for more information.

Trademark disclaimer:

This document contains many of the valuable trademarks and service marks owned and used by Yamaha throughout the world. The document may also contain references to other company, brand and product names that may be the trademarks/service marks of their respective owners. These company, brand and product names are used herein for identification purposes only, and references to any names, marks, products or services or third parties do not constitute or imply endorsement, sponsorship or recommendation of the third party or the products or services.



19_DL1_GCA_EU_EN